

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	analog adj2 decoder adj2 core	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:14
L2	3	analog adj2 decoder adj2 module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:17
L3	112	(sliding adj2 window) with decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:17
L4	172	(sliding adj2 window) with decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:20
L5	1502	analog adj3 decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:27
L6	395	read\$3 near3 (different adj2 portion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:21
L7	1	5 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:20
L8	55375	read\$3 near3 (portion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:21
L9	39	5 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:22
L10	244323	adc or (analog adj3 digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:22

L11	24	9 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:22
L12	64	(controller or microcontroller or logic) near5 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:32
L13	70	(input near2 (length or bit)) adj5 (less or low\$3) near5 (codelength or (code\$1 adj2 (length or word or data or bit)) or codeword or coded)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:10
L14	73	(input near2 (length or bit or stream or string)) adj5 (less or low\$3) near5 (codelength or (code\$1 adj2 (length or word or data or bit)) or codeword or coded)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:32
L15	139	(controller or microcontroller or logic or processor or dsp) near6 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:33
L16	0	14 and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:33
L17	274	(input) adj5 (less or low\$3) near5 (codelength or (code\$1 adj2 (length or word or data or bit)) or codeword or coded)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:12
L18	0	15 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:11
L19	324	(input) adj5 (less or low\$3 or small\$2) near5 (codelength or (code\$1 adj2 (length or word or data or bit)) or codeword or coded)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:12
L20	0	15 and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:12

L21	4	5 and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:14
L22	98	19 and "341"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:14
L23	30	19 and "341"/5\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:15
L24	7	4 and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:15